CONSUMER PRODUCTS SERVICES DIVISION

NINGBO ILAN FABRICS CO., LTD.

Technical Report: **(6619)142-1866** May.22, 2019
Date Received: May.13, 2019 Page 1 of 6
Mod. Date: /

ALEX HU
NINGBO ILAN FABRICS CO., LTD.
68 BATANG ROAD, HANGZHOU BAY NEW ZONE,
NINGBO, ZHEJIANG, CHINA

Sample Description:	PP FABRICS		
Manufacturer:	ILAN	PO No.:	/
Buyer:	/	Style No	W1887-024
Country of Origin:	CHINA	Country of Destination:	/
Color:	/	SKU No.:	/
Protocol No.:	/	Article No.:	/

	TEST REQUESTED	CONCLUSION	Remark
1)	The Furniture and Furnishings (Fire) (Safety) Regulations 1988. S.I. No. 1324(amended 1989, 1993 and 2010), Schedule 4, Part I, Cigarette test for cover fabrics.	PASS	-
2)	The Furniture and Furnishings (Fire) (Safety) Regulations 1988. S.I. No. 1324(amended 1989, 1993 and 2010), Schedule 5, Part I, Match test for cover fabrics.	PASS	-

REMARK:
The client specifies the test methods and requirements.

SHA/TL/GL/H/AW

Bureau Veritas
Consumer Products Services (Shanghai)
No. 168, Guanghua Road, Zhuanqiao Town,
Minhang, Shanghai, China.
Post Code:201108
Tel: 86-21-24166888 Fax: 86-21-64891984
Http : www.cps.bureauveritas.com

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at http://www.bureauveritas.com/cps and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute you unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

BVCPS (SHANGHAI) GENERAL CONTACT INFORMATION FOR THIS REPORT

TELEPHONE NO 86-21-24166888
E-MAIL: bvcpshltoy.sh@cn.bureauveritas.com

BUREAU VERITAS
CONSUMER PRODUCTS SERVICE DIVISION (SHANGHAI)
Laboratory Test location:
No. 368, Guangzhong Road, Zhuanqiao Town, Minhang, Shanghai.
No. 168, Guanghua Road, Zhuanqiao Town, Minhang, Shanghai.

Hyde Bao
PRODUCT LINE MANAGER(HARDLINE DIVISON)

The Furniture and Furnishings (Fire) (Safety) Regulations 1988. S.I. No. 1324 (amended 1989, 1993 and 2010), Schedule 4, Part I, Ignitability test for Cover fabrics. Cigarette Test (Ignition Source 0)		
Failure Criteria	**Position 1**	**Position 2**
Progressive Smouldering Criteria		
a. Any composite that produces externally detectable amounts of smoke, heat or glowing 1 hour after placement of cigarette	No	No
b. Any composite that displays escalating smouldering combustion behaviour so that it is unsafe to continue the test and requires forcible extinction	No	No
c. Any composite that, on final examination, shows evidence of charring other than discolouration in the internal of the specimen	No	No
Flaming Criteria		
a. Any composite that occur of any visible flaming within 1 hour after placement of cigarette	No	No
b. Any composite that displays escalating flaming combustion behaviour so that it is unsafe to continue the test and forcible extinction is required	No	No
c. Any composite that burns until it is essentially consumed within the test duration relevant to the source	No	No
Note: If any one of the following criterion has occurred on either position 1 or position 2, the result should be rated as fail for the ignitability test.		

Rating: PASS

The Furniture and Furnishings (Fire) (Safety) Regulations 1988. S.I. No. 1324, (amended 1989, 1993 and 2010), Schedule 5, Part I, Ignitability test for Cover fabrics. Match Test (Ignition Source 1)		
Failure Criteria	**Position 1**	**Position 2**
Progressive Smouldering Criteria		
a. Any composite that produces externally detectable amounts of smoke, heat or glowing 120 s after removal of the burner tube	No	No
b. Any composite that displays escalating smouldering combustion behaviour so that it is unsafe to continue the test and requires forcible extinction	No	No
c. Any composite that smoulders until it is essentially consumed or that smoulders to the extremities of the specimen, that is to either side or to the full thickness of the specimen, within the duration of the test	No	No
d. Any composite that, on final examination, shows evidence of charring other than discolouration in the internal of the specimen	No	No
Flaming Criteria		
a. Any composite that continues to flame for more than 120 s after removal of the burner tube	No	No
b. Any composite that displays escalating flaming combustion behaviour so that it is unsafe to continue the test and forcible extinction is required	No	No
c. Any composite that burns until it is essentially consumed within the test duration relevant to the source	No	No
d. Any test specimen on which any flame front reaches the extremities of the specimen other than the top of the vertical part of the test specimen, within the duration of the test	No	No
Note: If any one of the following criterion has occurred on either position 1 or position 2, the result should be rated as fail for the ignitability test.		

Rating: PASS

ANNEX I: SUBMISSION DESCRIPTION

Details of sample: Black fabric

Material Identification: Not given.

ANNEX II: ADDITIONAL COMMENTS

I All the test results contained on this report are relate only to the ignitability of the combination of materials under the particular conditions of test; they are not intended as a means of assessing the full potential fire hazard of the materials in use.

II BV can take no responsibility for the accuracy of the reference/descriptions supplied by the client.

III NA = Not applicable on this evaluation.

IV Since the submitted sample was tested and fully comply a first test singly. In order to show that the sample would fully comply a second test would need be performed which also passed.

V In the interests of safety all tested samples, along with any residue of failed samples will be disposed of immediately.

EXHIBIT



END